Journal of Coatings Technology
1992 Annual Index

Keyword Subject Index

Prepared by Technical Information
Systems Committee

Additives

Driers ..... Nov., p. 33.
Rheological Agents ..... Sept., p. 45; Oct., p. 77.
Surfactants ..... Sept., p. 65.
Thickeners ..... Jan., p. 87; Apr., p. 53.

Analysis

Impedance ..... July, p. 45; Oct., p. 101.

Chemical Compounds

Seed Oils ..... Dec., p. 61.
Sulfur Dioxide ..... Sept., p. 37.

Coating Components

Alkyds ..... Nov., p. 33.
Borosilicate/Rare Earth Oxide ..... Sept., p. 59.
Butadiene ..... Apr., p. 47.
Epoxy ..... May, p. 51; Oct., p. 101.
Esters (Poly-) ..... May, p. 43.
Isocyanate ..... Feb., p. 29.
Latex ..... Mar., p. 65.
Melamine ..... Jan., p. 69.
Nitrocellulose—Acrylic ..... Nov., p. 19.
Pyrrole ..... May, p. 59.
Siloxane ..... June, p. 47.
Siloxane—IPN Network ..... Oct., p. 83.
Urethane ..... Feb., p. 29.

Coatings

Adhesion ..... Dec., p. 41.
Automotive ..... Aug., p. 71; Oct., p. 83.
Can and Coil ..... May, p. 51.
Conductive ..... Nov., p. 27.
Corrosion (Anti-) ..... Mar., p. 77; Apr., p. 47.
CPVC ..... Mar., p. 45; Mar., 47; Mar., 59; Mar., p. 65; Mar., 71; Mar., 77; July, p. 51.
Degradation ..... July, p. 45.
Drying ..... Nov., p. 33.
Electrodeposited ..... May, p. 59.
Flammability ..... July, p. 33; July, 39.
Flexibility ..... May, p. 51.
Fungicidal ..... May, p. 43.
Hiding ..... Aug., p. 63.
High Solids ..... June, p. 47; Oct., p. 77.
Ice Release ..... Dec., p. 41.
Lacquers ..... Nov., p. 19.
Latex ..... Aug., p. 51.
Networks IPN ..... Oct., p. 83.
Performance ..... June, p. 61.
Polymer Blend ..... June, p. 51.
Primers ..... Apr., p. 47.
Rheology ..... Jan., p. 87; Sept., p. 45; Oct., p. 77.
Solvent-Based ..... June, p. 51.
Solvent Permeation ..... Apr., p. 29.
Structure/Property ..... May, p. 29.
Sulfur Dioxide Reaction ..... Sept., p. 37.
Surface Tension ..... Sept., p. 65.
Thermosetting ..... May, p. 29.
Top Coat ..... Apr., p. 29.
UV Cure ..... May, p. 43.
Water Based ..... Sept., p. 65; Nov., p. 19.

Computer Applications

Dispersion ..... June, p. 33.

Films

Degradation ..... July, p. 45.
Formation ..... Aug., p. 51.
Latex ..... Aug., p. 51.
Structure ..... Dec., p. 55.

Formulation

CPVC ..... Mar., p. 45; Mar., 47; Mar., 59; Mar., p. 65; Mar., 71; Mar., 77; July, p. 51.
Hiding ..... Aug., p. 63.
Statistical Design ..... Sept., p. 45.

Industry Management

Quality ..... Aug., p. 79.

Liquids

Flash Point ..... July, p. 33; July, 39.

Journal of Coatings Technology
1992 Annual Index

Keyword Subject Index

Prepared by Technical Information
Systems Committee

Additives

Driers ..... Nov., p. 33.
Rheological Agents ..... Sept., p. 45; Oct., p. 77.
Surfactants ..... Sept., p. 65.
Thickeners ..... Jan., p. 87; Apr., p. 53.

Analysis

Impedance ..... July, p. 45; Oct., p. 101.

Chemical Compounds

Seed Oils ..... Dec., p. 61.
Sulfur Dioxide ..... Sept., p. 37.

Coating Components

Alkyds ..... Nov., p. 33.
Borosilicate/Rare Earth Oxide ..... Sept., p. 59.
Butadiene ..... Apr., p. 47.
Epoxy ..... May, p. 51; Oct., p. 101.
Esters (Poly-) ..... May, p. 43.
Isocyanate ..... Feb., p. 29.
Latex ..... Mar., p. 65.
Melamine ..... Jan., p. 69.
Nitrocellulose—Acrylic ..... Nov., p. 19.
Pyrrole ..... May, p. 59.
Siloxane ..... June, p. 47.
Siloxane—IPN Network ..... Oct., p. 83.
Urethane ..... Feb., p. 29.

Coatings

Adhesion ..... Dec., p. 41.
Automotive ..... Aug., p. 71; Oct., p. 83.
Can and Coil ..... May, p. 51.
Conductive ..... Nov., p. 27.
Corrosion (Anti-) ..... Mar., p. 77; Apr., p. 47.
CPVC ..... Mar., p. 45; Mar., 47; Mar., 59; Mar., p. 65; Mar., 71; Mar., 77; July, p. 51.
Degradation ..... July, p. 45.
Drying ..... Nov., p. 33.
Electrodeposited ..... May, p. 59.
Flammability ..... July, p. 33; July, 39.
Flexibility ..... May, p. 51.
Fungicidal ..... May, p. 43.
Hiding ..... Aug., p. 63.
High Solids ..... June, p. 47; Oct., p. 77.
Ice Release ..... Dec., p. 41.
Lacquers ..... Nov., p. 19.
Latex ..... Aug., p. 51.
Networks IPN ..... Oct., p. 83.
Performance ..... June, p. 61.
Polymer Blend ..... June, p. 51.
Primers ..... Apr., p. 47.
Rheology ..... Jan., p. 87; Sept., p. 45; Oct., p. 77.
Solvent-Based ..... June, p. 51.
Solvent Permeation ..... Apr., p. 29.
Structure/Property ..... May, p. 29.
Sulfur Dioxide Reaction ..... Sept., p. 37.
Surface Tension ..... Sept., p. 65.
Thermosetting ..... May, p. 29.
Top Coat ..... Apr., p. 29.
UV Cure ..... May, p. 43.
Water Based ..... Sept., p. 65; Nov., p. 19.

Computer Applications

Dispersion ..... June, p. 33.

Films

Degradation ..... July, p. 45.
Formation ..... Aug., p. 51.
Latex ..... Aug., p. 51.
Structure ..... Dec., p. 55.

Formulation

CPVC ..... Mar., p. 45; Mar., 47; Mar., 59; Mar., p. 65; Mar., 71; Mar., 77; July, p. 51.
Hiding ..... Aug., p. 63.
Statistical Design ..... Sept., p. 45.

Industry Management

Quality ..... Aug., p. 79.

Liquids

Flash Point ..... July, p. 33; July, 39.

Manufacturing

Linoleates ..... Dec., p. 55.
Urethane Oils ..... Dec., p. 61.

Optics Color

Color ..... Aug., p. 71.
Hiding ..... Aug., p. 63.

Pigments

Aluminum ..... Aug., p. 71.
Carbon Black ..... Nov., p. 27.
Dispersion ..... June, p. 33.
Extenders ..... June, p. 33.
Stabilized ..... Apr., p. 53.
Surfaces ..... Oct., p. 91.
Suspension ..... Nov., p. 45.
Titanium Dioxide ..... Apr., p. 53; Nov., p. 45.
Titanium Dioxide, Coated ..... Oct., p. 91.

Pollution Health

Sulfur Dioxide/Alkyd ..... Sept., p. 37.

Polymeric Components

Melamine ..... Jan., p. 69.

Polymers

Curing ..... Apr., p. 37.
Spray ..... Feb., p. 39.
Structure/Property ..... Apr., p. 37.
Thermosetting ..... Apr., p. 37.

Pretreat Application

Spray ..... Feb., p. 39.

Solvents

Flash Point ..... July, p. 33; July, 39.

Substrates

Iron ..... May, p. 59.
Reinforced Plastic ..... Apr., p. 29.
Steel ..... Sept., p. 59.

Alphabetical Listing of Papers

A

Adhesion of Ice to Coatings and the Performance of Ice Release Coatings—V.K. Croutch and R.A. Hartley, Dec., p. 41.

C

Carbon Filled Paints of Improved Electrical Conductivity—A. Calahorra, D. Aharoni, and H. Dodiuk, Nov., p. 27.

Changes in the Electrochemical Impedance Spectra with Retained Solvent Content in Phenoxy Coatings—A.H. Al-Hashem and K.J. Habib, Oct., p. 101.

Coatings Based on Polymer/Polymer Composites—V.V. Verkholantsev, June, p. 51.

Color Variation of Automotive Metallic Finishes—K. Tachi and C. Okuda, Aug., p. 71.

CPVC as Point of Phase Inversion in Latex Paints—F.L. Floyd and R.M. Holsworth, Mar., p. 65.

CPVC, Critical Pigment Volume Concentration—An Overview—J.C. Weaver, Mar., p. 45.

A Critical Look at CPVC Performance and Applications Properties—W.K. Asbeck, Mar., p. 47.

Critical Pigment Volume Concentration (CPVC) as a Transition Point in the Properties of Coatings—G.P. Bierwagen, Mar., p. 71.

D

Distribution of Driers between the Alkyd and Aqueous Phase in Alkyd Emulsions and Its Relation to Drying Properties—G. Östberg, B. Bergenståhl, and K. Sörenssen, Nov., p. 33.

E

Effect of Plasma Treatment of Titanium Dioxide and Quinacridone Red Pigments on Dispersion Behavior in Water-Soluble Acrylic Resins—T. Kobayashi, H. Kageyama, K. Kouguchi, and S. Ikeda, June, p. 41.

Electrostatic Painting of Plastics II: Electric Field Effects—A.A. Elmoursi and D.P. Garner, Feb., p. 39.

Estimation and Prediction of Degradation of Coating Films by Frequency at Maximum Phase Angle—I. Sekine, K. Sakaguchi, and M. Yuasa, July, p. 45.

F

Formulating with Combinations of HEUR Associative Thickeners—P.R. Howard, E.L. Leasure, S.T. Rosier, and E.J. Schaller, Jan., p. 87.

Four Methods for Predicting the Flash Point of Alkyd Paints Containing VM&P Naphtha and Mineral Spirits—Part I—J.L. McGovern, July, p. 33.

Fundamental Studies of Epoxy Resins for Can and Coil Coatings III. Effect of Bisphenol Structure on Resin and Coating Flexibility—R.A. Dubois and P.S. Sheih, May, p. 51.

H

High Solids Polyorganosiloxane Polymers for High Temperature Applications—W.A. Finzel, June, p. 47.

I

The Importance of Low Dynamic Surface Tension in Waterborne Coatings—J. Schwartz, Sept., p. 65.

Improving Film Uniformity of High-Solids Baking Systems—M.J. Schnall, Oct., p. 77.

Influence of Rare Earth Oxides on the Oxidation Behavior of Borosilicate Coating on Mild Steel—R. Ahmad, A.U. Malik, and M. Ajmal, Sept., p. 59.

Investigation of Urethane Oils Based on *Ecballium Elaterium* and *P. Mahaleb* Seed Oils—A.T. Erciyes, F.S. Erkal, and O.S. Kabasakal, Dec., p. 61.

L

Latex Film Formation at the Molecular Level: The Effect of Coalescing Aids on Polymer Diffusion—M.A. Winnik, Y. Wang, and F. Haley, Aug., p. 51.
Linoleic Based Coatings: A Study of the Dry Film Structure—N.A.R. Falla, Dec., p. 55.
Low-VOC Waterborne Coatings for Wood Based on Nitrocellulose-Acrylic Latex—H.F. Haag, Nov., p. 19.

M

Measurement of Particle Packing in Dispersed Systems—K.L. Hoy and R.H. Peterson, Mar., p. 59.
1990 Membership Survey of the Federation of Societies for Coatings Technology—FSCT Professional Development Committee, Mar., p. 35.
1990 Membership Survey of the Federation of Societies for Coatings Technology: Part II—FSCT Professional Development Committee, Dec., p. 25.
A Method for Estimating the Flash Points of Coatings Containing Mixtures of Oxygenated and Hydrocarbon Solvents and Petroleum Distillates—Part II—J.L. McGovern, July, p. 39.

N

A Novel Design Strategy for Blocked Isocyanates to Enhance Their Reactivity with Alcohols. Oxime Blocking Agents which Undergo Intramolecular Cyclization—J.W. Carter and S.P. Pappas, Feb., p. 29.

P

Pigment Stabilization Through Mixed Associative Thickener Interactions—D.J. Lundberg and J.E. Glass, Apr., p. 53.
Pigment Volume Concentration and Its Effect on the Corrosion Resistance Properties of Organic Films—B.S. Skerry, C-T. Chen, and C.J. Ray, Mar., p. 77.
Possible Reaction Pathways for Self-Condensation of Melamine Resins; Reversibility of Methylene Bridge Formation—U. Samaraweera and F.N. Jones, Jan., p. 69.
Prediction of Coating Failure Over Sheet Molding Compound (SMC): Solvent Permeation Studies—R.A. Ryntz, W.R. Jones, and A. Czarnecki, Apr., p. 29.

R

Rheology Modifiers: Modeling Their Performance in High Gloss Paints—T.L. Maver, Sept., p. 45.

S

Simultaneous Assessment of Influence on Hiding Power by Several Compositional Factors: Taguchi Approach—V.S. Vaidya and V.M. Natu, Aug., p. 63.
Solubility, Diffusivity, and Chemical Reactivity of Sulfur Dioxide with an Alkyd Paint—W.H. Simendinger and C.M. Balik, Sept., p. 37.
Strongly Adherent, Smooth Coatings of Polypyrrole Oxalate on Iron—F. Beck and R. Michaelis, May, p. 59.
Structure/Property Relationships of Thermoset Coatings—L.W. Hill, May, p. 28.
Surface Studies of Hydrous Oxide Coated Rutile in Nonaqueous Media—T.B. Lloyd, J. Li, F.M. Fowkes, J.R. Brand, and L.J. Dizikes, Oct., p. 91.

T

T_g-Temperature Property (T_gTP) Diagram for Thermosetting Systems: Anomalous Behavior of Physical Properties vs Extent of Cure—X. Wang and J.K. Gillham, Apr., p. 37.

U

Use of a Mathematical Model to Predict the Effects of Extenders on Pigment Dispersion in Paint Films—J. Temperley, M.J. Westwood, M.R. Hornby, and L.A. Simpson, June, p. 33.
Utilization of Hydroxyl Terminated Polybutadiene in Air Dry Rust Inhibitive Primers—J.J. Salitros, Apr., p. 47.

W

Water-Reducible, Unsaturated Polyesters as Binders and Clear Coatings for UV-Curable Furniture Coatings—M.J. Dvorchak and B.H. Riberi, May, p. 43.

Open Forum

How to Start a Quality Program—Focus on Top Management and Total Employee Involvement—R.E. Bish, Aug., p. 79.
Suspension of TiO_2 Pigments in Organic Solvents: Identification of Rutile and Anatase in Suspended State—K.V.S.N. Raju and M. Yaseen, Nov., p. 45.
Toward a Unified Strategy of Service Life Prediction—R.A. Dickie, June, p. 61.

Author Index

A

AHARONI, D.—See Calahorra, A.
AHMAD, R., MALIK, A.U., AND AJMAL, M.—Influence of Rare Earth Oxides on the Oxidation Behavior of Borosilicate Coating on Mild Steel, Sept., p. 59.
AJMAL, M.—See Ahmad, R.
AL-HASHEM, A.H. AND HABIB, K.J.—Changes in the Electrochemical Impedance Spectra with Retained Solvent Content in Phenoxy Coatings, Oct., p. 101.
ASBECK, W.K.—A Critical Look at CPVC Performance and Applications Properties, Mar., p. 47.

B

BALIK, C.M.—See Simendinger, W.H.
BECK F. AND MICHAELIS, R.—Strongly Adherent, Smooth Coatings of Polypyrrole Oxalate on Iron, May, p. 59.
BERGENSTÅHL, B.—See Östberg, G.
BIERWAGEN, G.P.—Critical Pigment Volume Concentration (CPVC) as a Transition Point in the Properties of Coatings, Mar., p. 71.
BISH, R.E.—How to Start a Quality Program—Focus on Top Management and Total Employee Involvement, Aug., p. 79.
BRAND, J.R.—See Lloyd, T.B.

C

CALAHORRA, A., AHARONI, D., AND DODIUK, H.—Carbon Filled Paints of Improved Electrical Conductivity, Nov., p. 27.
CARTER, J.W. AND PAPPAS, S.P.—A Noval Design Strategy for Blocked Isocyanates to Enhance Their Reactivity with Alcohols. Oxime Blocking Agents which Undergo Intramolecular Cyclization—Feb., p. 29.
CHEN, C-T.—See Skerry, B.S.
CROUTCH, V.K. AND HARTLEY, R.A.—Adhesion of Ice to Coatings and the Performance of Ice Release Coatings, Dec., p. 41.
CZARNECKI, A.—See Ryntz, R.A.

D

DICKIE, R.A.—Toward a Unified Strategy of Service Life Prediction, June, p. 61.
DIZIKES, L.J.—See Lloyd, T.B.
DODIUK, H.—See Calahorra, A.
DUBOIS, R.A. AND SHEIH, P.S.—Fundamental Studies of Epoxy Resins for Can and Coil Coatings III. Effect of Bisphenol Structure on Resin and Coating Flexibility, May, p. 51.
DVORCHAK, M.J. AND RIBERI, B.H.—Water-Reducible, Unsaturated Polyesters as Binders and Clear Coatings for UV-Curable Furniture Coatings, May, p. 43.

E

ELMOURSI, A.A. AND GARNER, D.P.—Electrostatic Painting of Plastics II: Electric Field Effects, Feb., p. 39.
ERCIYES, A.T., ERKAL, F.S., AND KABASAKAL, O.S.—Investigation of Urethane Oils Based on *Ecballium Elaterium* and *P. Mahaleb* Seed Oils, Dec., p. 61.
ERKAL, F.S.—See Erciyes, A.T.

F

FALLA, N.A.R.—Linoleic Based Coatings: A Study of the Dry Film Structure, Dec., p. 55.
FINZEL, W.A.—High Solids Polyorganosiloxane Polymers for High Temperature Applications, June, p. 47.
FLOYD, F.L. AND HOLSWORTH, R.M.—CPVC as Point of Phase Inversion in Latex Paints, Mar., p. 65.
FOWKES, F.M.—See Lloyd, T.B.

G

GARNER, D.P.—See Elmoursi, A.A.
GILLHAM, J.K.—See Wang, X.
GLASS, J.E.—See Lundberg, D.J.

H

HAAG, H.F.—Low-VOC Waterborne Coatings for Wood Based on Nitrocellulose-Acrylic Latex, Nov., p. 19.
HABIB, K.J.—See Al-Hashem, A.H.
HALEY, F.—See Winnik, M.A.
HARTLEY, R.A.—See Croutch, V.K.
HILL, L.W.—Structure/Property Relationships of Thermoset Coatings, May, p. 28
HOLSWORTH, R.M.—See Floyd, F.L.
HORNBY, M.R.—See Temperley, J.
HOWARD, P.R., LEASURE, E.L., ROSIER, S.T., AND SCHALLER, E.J.—Formulating with Combinations of HEUR Associative Thickeners, Jan., p. 87.
HOY, K.L. AND PETERSON, R.H.—Measurement of Particle Packing in Dispersed Systems, Mar., p. 59.

I

IKEDA, S.—See Kobayashi, T.

J

JONES, F.N.—See Samaraweera, U.
JONES, W.R.—See Ryntz, R.A.

K

KABASAKAL, O.S.—See Erciyes, A.T.
KAGEYAMA, H.—See Kobayashi, T.
KOBAYASHI, T., KAGEYAMA, H., KOUGUCHI, K., AND IKEDA, S.—Effect of Plasma Treatment of Titanium Dioxide and Quinacridone Red Pigments on Dispersion Behavior in Water-Soluble Acrylic Resins, June, p. 41.
KOUGUCHI, K.—See Kobayashi, T.

L

LEASURE, E.L.—See Howard, P.R.
LI, J.—See Lloyd, T.B.
LLOYD, T.B., LI, J., FOWKES, F.M., BRAND, J.R., AND DIZIKES, L.J.—Surface Studies of Hydrous Oxide Coated Rutile in Nonaqueous Media, Oct., p. 91.
LUNDBERG, D.J. AND GLASS, J.E.—Pigment Stabilization Through Mixed Associative Thickener Interactions, Apr., p. 53.

M

MALIK, A.U.—See Ahmad, R.
MAVER, T.L.—Rheology Modifiers: Modeling Their Performance in High Gloss Paints, Sept., p. 45.
MCGOVERN, J.L.—A Method for Estimating the Flash Points of Coatings Containing Mixtures of Oxygenated and Hydrocarbon Solvents and Petroleum Distillates—Part II, July, p. 39.
MCGOVERN, J.L.—Four Methods for Predicting the Flash Point of Alkyd Paints Containing VM&P Naphtha and Mineral Spirits—Part I, July, p. 33.
MICHAELIS, R.—See Beck, F.

N

NATU, V.M.—See Vaidya, V.S.

O

OKUDA, C.—See Tachi, K.
ÖSTBERG, G., BERGENSTÅHL, B., AND SÖRENSSEN, K.—Distribution of Driers between the Alkyd and Aqueous Phase in Alkyd Emulsions and Its Relation to Drying Properties, Nov., p. 33.

P

PAPPAS, S.P.—See Carter, J.W.
PETERSON, R.H.—See Hoy, K.L.

R

RAJU, K.V.S.N. AND YASEEN, M.—Suspension of TiO_2 Pigments in Organic Solvents: Identification of Rutile and Anatase in Suspended State, Nov., p. 45.
RAY, C.J.—See Skerry, B.S.
RIBERI, B.H.—See Dvorchak, M.J.
ROSIER, S.T.—See Howard, P.R.
RYNTZ, R.A., JONES, W.R., AND CZARNECKI, A.—Prediction of Coatings Failure Over Sheet Molding Compound (SMC): Solvent Permeation Studies, Apr., p. 29.

S

SAKAGUCHI, K.—See Sekine, I.
SALITROS, J.J.—Utilization of Hydroxyl Terminated Polybutadiene in Air Dry Rust Inhibitive Primers, Apr., p. 47.
SAMARAWEERA, U. AND JONES, F.N.—Possible Reaction Pathways for Self-Condensation of Melamine Resins; Reversibility of Methylene Bridge Formation, Jan., p. 69.
SCHALLER, E.J.—See Howard, P.R.
SCHNALL, M.J.—Improving Film Uniformity of High-Solids Baking Systems, Oct., p. 77.
SCHWARTZ, J.—The Importance of Low Dynamic Surface Tension in Waterborne Coatings, Sept., p. 65.
SEKINE, I., SAKAGUCHI, K., AND YUASA, M.—Estimation and Prediction of Degradation of Coating Films by Frequency at Maximum Phase Angle, July, p. 45.
SHEIH, P.S.—See Dubois, R.A.
SIMENDINGER, W.H. AND BALIK, C.M.—Solubility, Diffusivity, and Chemical Reactivity of Sulfur Dioxide with an Alkyd Paint, Sept., p. 37.
SIMPSON, L.A.—See Temperley, J.
SKERRY, B.S., CHEN, C-T., AND RAY, C.J.—Pigment Volume Concentration and Its Effect on the Corrosion Resistance Properties of Organic Paint Films, Mar., p. 77.
SÖRENSSEN, K.—See Östberg, G.

T

TACHI, K. AND OKUDA, C.—Color Variation of Automotive Metallic Finishes, Aug., p. 71.
TEMPERLEY, J., WESTWOOD, M.J., HORNBY, M.R., AND SIMPSON, L.A.—Use of a Mathematical Model to Predict the Effects of Extenders on Pigment Dispersion in Paint Films, June, p. 33.

V

VAIDYA, V.S. AND NATU, V.M.—Simultaneous Assessment of Influence on Hiding Power by Several Compositional Factors: Taguchi Approach, Aug., p. 63.
VERKHOLANTSEV, V.V.—Coatings Based on Polymer/Polymer Composites, June, p. 51.

W

WANG, X. AND GILLHAM, J.K.—T_g-Temperature Property (T_gTP) Diagram for Thermosetting Systems: Anomalous Behavior of Physical Properties vs Extent of Cure, Apr., p. 37.
WANG, Y.—See Winnik, M.A.
WEAVER, J.C.—CPVC, Critical Pigment Volume Concentration—An Overview, Mar., p. 45.
WESTWOOD, M.J.—See Temperley, J.
WINNIK, M.A., WANG, Y., AND HALEY, F.—Latex Film Formation at the Molecular Level: The Effect of Coalescing Aids on Polymer Diffusion, Aug., p. 51.

Y

YASEEN, M.—See Raju, K.V.S.N.
YUASA, M.—See Sekine, I.

Constituent Society Papaers

Changes in Hiding During Latex Film Formation: Part III. Effect of Coalescent Level and Latex Properties—Cleveland Society for Coatings Technology, Jan., p. 79.
Effect of Siloxane Modification on the Physical Attributes of an Automotive Coating—Detroit Society for Coatings Technology, Oct., p. 83.
A Review of Methods of CPVC Determination—Chicago Society for Coatings Technology, July, p. 51.